Hand/Foot II Trusted Phototherapy Solutions for Localized Clinical Treatments



Clinical Phototherapy System for Hand & Foot Treatments



Hand/Foot II.

Hand/Foot II is a Trusted High Output UV Phototherapy System for Hospitals & Clinics.

Protective light shield for patient & provider safety

High-output lamps •

Safety screens on top of lamps

Optional mobile cart for dual hand & feet treatment •••••••

Timer control for accurate patient • treatment times

Ventilating fan for patient comfort & maximum lamp efficiency

Full reflector behind lamps

Standard outlet plugin

No special electrical accommodation or special assembly needed





Trusted Phototherapy Solutions for Localized Clinical Treatments



Trusted Clinical Technology

The Hand/Foot II phototherapy system has been a mainstay in dermatological treatment for decades due to its effectiveness in treating various photoresponsive conditions.

Simple to Set Up

Devices plug-in to a standard outlet with no technical installation required.

Optional Hand/Foot Cart

The optional cart is designed to safely accommodate two devices - one for the hands, another for the feet - at a height comfortable for patients. Heavy duty casters make it easy to move the cart throughout the office.



Cart Dimensions: 29" W x 32" H x 17" D upper 21.5" D lower

NatBio Makes Annual Preventative Maintenance Easy

NatBio's service team is here to help you and your clinic. Our highly trained and friendly team will ensure your clinic's phototherapy devices are operating to their fullest potential, ensuring your office retains the highest patient throughput and most ROI on your device. Ask your NatBio representative about our service offerings today.

Hand/Foot II Trusted Phototherapy Solutions for Localized Clinical Treatments

Two Lamp Configurations Available*

UVB-NB Configuration

UVB-138

• Equipped with 8 311nm Narrowband UVB lamps

UVA Configuration

UVA-118

Equipped with 8 UVA lamps

*Other lamp configurations available on request.

All models come standard with LCD lamps.



All products shipped F.O.B. Beachwood, OH.



Scan to Learn More



Proudly Designed & Built in the USA

SPECIFICATIONS

ELECTRICAL RATING:

110-120V VAC 60 Hz 3.0 Amps with grounded plug

DIMENSIONS:

24" W x 20" D x 12.75 "H

Cart: 29" W x 32" H x 17" D upper

21.5" D lower

WEIGHT:

One device weight: 68 lb Shipping weight: 74 lb

WARRANTY:

- All parts (excluding lamps) carry a 1-year, free replacement warranty.
- Extended Warranties also available.
- Lamps warranted for 90 days.

National Biological Corp. is certified to ISO-13485

The NatBio Advantage

- An experienced staff of full-time engineering professionals well versed in UV technology
- On-site installation and training on Hand/Foot II operation and benefits
- Service performed on your premises
- Thorough testing, inspection, and documentation of every device and component by our Quality Assurance staff
- Quality-built with care and attention to detail
- "Total Support" with the most comprehensive warranty in the industry